

CITY OF ROCHESTER
201 4TH STREET SE, ROOM 108
ROCHESTER, MN 55904-3742

***** QUOTATION REQUEST *****

QUOTES RECEIVED UNTIL 11:00 O'CLOCK A.M. ON **March 28, 2012** for:

CITY PROJECT NO. **2012-Aggr** J NO. **100**
TYPE OF WORK **Aggregate Season Supply 2012**
VALID THROUGH DATE: **November 15, 2012**

Quote Submitted _____
By: (Vendor Name) (Phone No.)

(Address) (Fax No.)

(City) (State) (Zip)

QUOTE price and terms on the materials listed on the attached form. This inquiry implies no obligation on the part of the City to purchase materials from any particular supplier. The City will use the price list created from this quotation process to make its open market and quote-required purchases under the municipal contracting law, and the City reserves the right to make those purchases that provide the greatest public value. Unless otherwise specified there is no restriction on the amount of materials that may be ordered. Suppliers who fail to respond to purchase orders consistent with their quote may be removed from the price lists.

I certify that this Quotation Request was prepared by me or under my direct supervision, and that I am a licensed Professional Engineer under the laws of the State of Minnesota.



Russell J. Kelm, License Number 24667 03/05/12 (Date)

**City of Rochester, MN
QUOTATION REQUEST**

Notice is hereby given that quotes will be received at the office of the City Clerk until **11:00 A.M. on Wednesday March 28, 2012**, for the purchase of said materials.

City No: 2012-Aggr

Title: Aggregate Season Supply 2012

Immediately following expiration of the time for receiving quotes, the City Clerk and two designated City officials will publicly open said quotes in the City Hall. This inquiry implies no obligation on the part of the City of Rochester. Unless otherwise specified, there is no restriction on the amount of materials that may be ordered.

WASHED SAND (FREIGHT ON BOARD)	TON
WASHED SAND (DELIVERED)	TON
PIT RUN (FREIGHT ON BOARD)	TON
PIT RUN (DELIVERED)	TON
AGGREGATE BASE CLASS 2 (FREIGHT ON BOARD)	TON
AGGREGATE BASE CLASS 2 (DELIVERED)	TON
SEAL COAT AGGREGATE (FA-2 ½) (FREIGHT ON BOARD)	TON
SEAL COAT AGGREGATE (FA-2 ½) (DELIVERED)	TON
SEAL COAT AGGREGATE (FA-3) (FREIGHT ON BOARD)	TON
SEAL COAT AGGREGATE (FA-3) (DELIVERED)	TON
SEAL COAT AGGREGATE (FA-3 ½) (FREIGHT ON BOARD)	TON
SEAL COAT AGGREGATE (FA-3 ½) (DELIVERED)	TON
RANDOM RIPRAP CLASS II (FREIGHT ON BOARD)	TON
RANDOM RIPRAP CLASS II (DELIVERED)	TON

Documents may be examined at the Department of Public Works, 201 4th St. SE, Room 108, Rochester, MN 55904, (507) 328-2400 or the City's website at <https://egram.rochestermn.gov/>.

All Quote Forms must be addressed to the City Clerk, City of Rochester, 201 4th St. SE, Room 135, Rochester, Minnesota 55904-3742 and shall have endorsed thereon:

City No: 2012-Aggr

Title: Aggregate Season Supply 2012

Dated at Rochester, Minnesota this **5th day of March, 2012**.

JUDY K. SCHERR, CMC, City Clerk

LIST OF VENDORS

The following vendors have been sent this request in no particular order as follows:

	Business Name	Address	Phone Number	Fax Number
	Braaten Sand & Gravel	821 Country Club Rd SE Byron, MN 55920	(507) 775-6657	(507) 775-2879
	Daniel Decook Sand & Gravel	3353 60th Ave SW Rochester, MN 55902	(507) 282-5511	(507) 282-7824
	Dresser Trap Rock Inc.	PO Box 517 1000 East Ave Dresser, WI 540009	(715) 483-3216	(715) 483-3219
	Leitzen Concrete	4019 Hwy 14 West Rochester, MN 55901	(507) 282-3875	(507) 288-3470
	L. R. Falk Construction Co.	141 West 4 th St St. Ansgar, IA 50472	(641) 713-4569	(641) 713-3200
	Milestone Materials	920 10 Av North Box 507 Onalaska, WI 54650	(608) 783-6411	(608) 779-9182
	Paulson Rock Products	510 9th Ave SW Rochester, MN 55902	(507) 635-5082	(507) 635-5484
	Rochester Ready Mix	4010 19 th St NW Rochester, MN 55901	(507) 289-4022	(507) 289-9006

DIVISION S

S-1 REFERENCE DOCUMENTATION

Reference Documentation shall be the latest edition, including amendments and published updates, issued prior to the date of advertisement for bids or the date of request for quotations, of the following:

1. Minnesota Department of Transportation (Mn/DOT) Standard Specifications for Construction.
2. City of Rochester Ordinances.
3. City of Rochester Standard Detail Plates.
4. City of Rochester Standard Specifications for Street & Utility Construction.

S-2 DELIVERY

The material furnished under this Contract shall be delivered to any point within the City Limits of the City of Rochester, Minnesota, at such times and in such quantities as may be required of Freight on Board (F.O.B.) City trucks at the source.

The City will notify the supplier twenty-four (24) hours in advance when and where such materials shall be delivered. Materials to be picked up by the City trucks shall be available during normal construction season whenever needed. Except for emergencies, the Street Maintenance Supervisor will give the supplier at least 24 hours notice of his intention to pick up such material.

The Contractor shall furnish to the City either the original or duplicate of a numbered weight ticket. A separate ticket shall accompany each load and shall be given to the City employee at destination of delivery. The weight ticket or invoice shall show the Vendor, Vendor's address, purchaser, date, destination, City of Contractor's truck number, gross weight, tare, net weight, and/or number of tons and type of material.

S-3 MN STATE SALES TAX

The City of Rochester is now subject to the 6.875% State tax on most tangible property. Bid proposals should not include the sales tax, but the successful bidder shall bill the City the tax as a separate item on the invoice.

S-4 (1903) COMPENSATION FOR INCREASED OR DECREASED QUANTITIES

The provisions of 1903 of the Minnesota Specifications for Highway Construction dated 2005 shall not apply to any item on this Proposal.

S-5 (2105) WASHED SAND

Washed Sand shall be in accordance with the provisions of 3126 Fine Aggregate for Portland Cement Concrete.

S-6 (2105) PIT RUN

Pit Run shall be in accordance with the provisions of 3149.2B2 except that in addition not more than 50% of the material shall pass the No. 40 sieve.

S-7 (2211) AGGREGATE BASE

Aggregate base shall be in accordance with the provisions of Mn/DOT 3138 except as modified below:

- S-7.1 If crushed carbonate quarry rock (limestone or dolostone) is used, the minus 75 μm [**#200**] sized portion of the rock insoluble residue shall not exceed 10% by weight for Aggregate. The insoluble residue test procedure is on file in the Mn/DOT Materials Laboratory.
- S-7.2 Blending of sources and/or beds with an insoluble residue up to 15% is allowed to meet the 10% insoluble residue requirement. Individual beds thinner than 150 mm [**6 inches**] up to 5% of the total face height, are exempt from the 15% maximum insoluble residue requirement. However, the aggregate producer shall practice good quality control at all times and exclude poor quality stone to the extent practical, regardless of the bed thickness and/or pocket size and location.
- S-7.3 No carbonate quarry rock from the Platteville Geological Formation is allowed.

S-8 (2356) SEAL COAT AGGREGATE

Aggregate for Seal Coat shall be in accordance with the provisions of Mn/DOT 2356, 3127 and 3137 except as modified below:

S-8.1 Material

Provide a Class C aggregate, as specified in Mn/DOT 3137.2B. Use aggregates, uniform in quality and free from wood, bark, roots and other deleterious materials. All Class C aggregates shall be 80% crushed one face (mechanical or natural), of the plus 4.75 mm [**#4**] fraction (use Mn/DOT Laboratory Manual Method 1214). Gradation and quality requirements are specified in Table 1. All percentages are by weight.

Table 1 (Values are the percent passing the sieve).

Sieve Size	FA-1	FA-2	FA-2 1/2	FA-3	FA-3 1/2	QC range
12.5 mm [1/2 inch]	100	100	100	100	100	
9.5 mm [3/8 inch]	100	100	100	100	90-100	$\pm 5\%$
6.3 mm [1/4 inch]	100	100	0-80	0-70	0-70	$\pm 7\%$
4.75 mm [# 4]	0-100	0-100	0-50	0-25	0-25	$\pm 7\%$
2.36 mm [# 8]	---	0-40	0-12	0-5	0-5	$\pm 4\%$
1.18 mm [# 16]	0-30	0-10	0-5	---	---	$\pm 4\%$
300 μm [# 50]	0-15	0-5		---	---	$\pm 4\%$
150 μm [# 100]	0-5	---		---	---	$\pm 4\%$
75 μm [# 200]	0.0-1.0	0.0-1.0	0.0-1.0	0.0-1.0	0.0-1.0	
Material Tests						
% Shale, max. Mn/DOT 1209	5	5	5	3	2	
Flakiness Index, max. %, FHL T 508 ¹	N/A	25	25	25	25	
Los Angeles Rattler, max. % loss, AASHTO T 96 (Mn/DOT modified)				35	35	

¹ Aggregate retained on each sieve, which comprises at least 4 percent of the total sample shall be tested.

Washing of the aggregate will not be required provided natural material can meet the #200 sieve requirement.

S-9 (2511) RANDOM RIPRAP CL II

Random Riprap: shall be Class II in accordance with Mn/DOT Section 3601.2A.

QUOTE FORM

SCHEDULE OF PRICES

VENDOR MUST FILL IN UNIT PRICES IN NUMERALS.			
Item No.	Description	Units	Unit Price
2105.609/10010	WASHED SAND (FREIGHT ON BOARD)	TON	
2105.609/10011	WASHED SAND (DELIVERED)	TON	
2105.609/10020	PIT RUN (FREIGHT ON BOARD)	TON	
2105.609/10021	PIT RUN (DELIVERED)	TON	
2211.501/10020	AGGREGATE BASE CLASS 2 (FREIGHT ON BOARD)	TON	
2211.501/20020	AGGREGATE BASE CLASS 2 (DELIVERED)	TON	
2356.507/10027	SEAL COAT AGGREGATE (FA-2 1/2) (FREIGHT ON BOARD)	TON	
2356.507/10028	SEAL COAT AGGREGATE (FA-2 1/2) (DELIVERED)	TON	
2356.507/10029	SEAL COAT AGGREGATE (FA-3) (FREIGHT ON BOARD)	TON	
2356.507/10030	SEAL COAT AGGREGATE (FA-3) (DELIVERED)	TON	
2356.507/10031	SEAL COAT AGGREGATE (FA-3 1/2) (FREIGHT ON BOARD)	TON	
2356.507/10032	SEAL COAT AGGREGATE (FA-3 1/2) (DELIVERED)	TON	
2511.502/10012	RANDOM RIPRAP CLASS II (FREIGHT ON BOARD)	TON	
2511.502/20012	RANDOM RIPRAP CLASS II (DELIVERED)	TON	

Submitted by:

Name: _____

Address: _____

Phone: _____

Signature: _____ **Date:** _____